


APP CRS 279°	Rwy Idg	8240
	TDZE	18
	Apt Elev	20

RNAV (RNP) Z RWY 28R


PALM BEACH INTL (PBI)

RNP AR APCH - GPS.	MISSED APPROACH: Climb to 500 then climbing right turn to 3000 direct MORGA and hold.
For uncompensated Baro-VNAV systems, procedure NA below 6°C or above 54°C.	

D-ATIS 123.75	PALM BEACH APP CON 128.3 317.4	PALM BEACH TOWER 119.1 257.8	GND CON 121.9 284.6	CLNC DEL 121.6 284.6	CPDLC
-------------------------	--	--	-------------------------------	--------------------------------	-------



ELEV	20	D	TDZE	18
------	----	---	------	----



HIRL Rwy 10L-28R
REIL Rwys 10R, 14, 28L, 28R and 32
MIRL Rwys 14-32 and 10R-28L

500 ↑	3000 ↗	MORGA △	VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 70).	
See planview for multiple IF locations.				
CATEGORY	A	B	C	D
RNP 0.30 DA	404/60 386 (400-1¼)			
AUTHORIZATION REQUIRED				

SE-3, 15 MAY 2025 to 12 JUN 2025

SE-3, 15 MAY 2025 to 12 JUN 2025